



# Wauwatosa, WI

## Board of Building and Fire Code Appeals

### Meeting Agenda - Final

7725 W. North Avenue  
Wauwatosa, WI 53213

---

Friday, February 14, 2025

9:00 AM

Join Zoom Meeting  
[https://servetosa.zoom.us/j/3475608588?  
omn=89044210867](https://servetosa.zoom.us/j/3475608588?omn=89044210867)  
Meeting ID: 347 560 8588

---

#### **VIRTUAL MEETING INFORMATION**

Members of the public may observe and participate in the meeting via Zoom only at the link above. To access the Zoom meeting via phone, call 1-312-626-6799 and enter the Meeting ID.

#### **CALL TO ORDER**

#### **ROLL CALL**

#### **NEW BUSINESS**

1. 7905 Clarke Street - Kaija Zusevics, is requesting a variance to allow a 32" wide stair width whereas 34" minimum is required; and a variance to allow 67" on a portion of the stairwell headroom whereas 72" minimum is required. Existing stairs for a newly finished basement need to be 34" wide per Wisconsin Uniform Building Code Section 30.55(7)(a)(1). The existing staircase is too narrow to support a newly finished basement, even with these reduced clearance requirements for houses built prior to 1980. [25-0233](#)
2. 2320 N 69th Street - Shawn & Megan Slattery, are requesting a variance to allow a 24" wide stair width whereas 34" minimum is required; Riser height provided is 9" whereas 8.25 max is required. Landing & Stair headroom dimension were not provided. Existing stairs for a newly finished basement need to be 34" wide per Wisconsin Uniform Building Code Section 30.55(7)(a)(1). The existing staircase is too narrow to support a newly finished basement, even with these reduced clearance requirements for houses built prior to 1980. [25-0234](#)

#### **ADJOURNMENT**

##### NOTICE TO PERSONS WITH A DISABILITY

Persons with a disability who need assistance to participate in this meeting should call the City Clerk's office at (414) 479-8917 or send an email to [tclerk@wauwatosa.net](mailto:tclerk@wauwatosa.net), with as much advance notice as possible.