



# Wauwatosa, WI

## Board of Building and Fire Code Appeals

### Meeting Agenda - Final

7725 W. North Avenue  
Wauwatosa, WI 53213

---

Friday, May 9, 2025

9:00 AM

Zoom Only:  
[https://servetosa.zoom.us/j/3475608588?](https://servetosa.zoom.us/j/3475608588?omn=88177411506)  
omn=88177411506, Meeting ID: 347 560  
8588

---

#### **VIRTUAL MEETING INFORMATION**

Members of the public may observe and participate in the meeting via Zoom only at the link above. To access the Zoom meeting via phone, call 1-312-626-6799 and enter the Meeting ID.

#### **CALL TO ORDER**

#### **NEW BUSINESS**

Amy Sherman, owner of the property at 8915 W Hawthorne Avenue, is requesting a variance to allow 66 inches of headroom in two portions of a basement stairwell, where a minimum of 72 inches is required. Per Chapter VII, Section 30.55(7)(a)1, existing basement stairs must maintain a minimum headroom of 72 inches along the entire flight and at the landings on both ends.

[25-0687](#)

#### **ADJOURNMENT**

##### NOTICE TO PERSONS WITH A DISABILITY

Persons with a disability who need assistance to participate in this meeting should call the City Clerk's office at (414) 479-8917 or send an email to [tclerk@wauwatosa.net](mailto:tclerk@wauwatosa.net), with as much advance notice as possible.